United States Patent and Trademark Office
- Sales Receipt -

04/03/2006 TOKON1 00000003 500220 10808007

01 FC:1251

120.00 DA

Adjustment Date: 05/08/2006 SDIRETA1 04703/2006 TOKON1 00000003 500220 10808007 01 FC:1251 120.00 CR

PATENT MANTENANCE

Attorney's Docket No. 9060-228

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

2016 APR 20 PH 4: 16

In re: Esa Paatero

Confirmation No.: 5679

Serial No.: 10/808,007

Examiner: Rajnikant B. Patels PATENT & IRADEMARK

Filed: March 24, 2004

Group Art Unit: 2838

OFFICE

For: POWER CONVERSION APPARATUS WITH DC BUS PRECHARGE CIRCUITS AND METHODS OF OPERATION THEREOF

April 17, 2006

Mail Stop 16 Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

REQUEST FOR REFUND OF FEE UNDER 37 C.F.R. §1.26

Sir:

Applicants respectfully submit this Request for Refund of Fees pursuant to 37 C.F.R. §1.26 in the amount of \$120.00. Our Deposit Account No. 50-0220 was charged a \$120.00 extension of time fee on April 3, 2006 (copy enclosed as Appendix A). A Response to Restriction was filed on March 24, 2006 and was acknowledged as received in the U.S. Patent and Trademark Office on March 28, 2006 on the stamped return postcard (copy enclosed as Appendix B).

According to the February 10, 2006 Office Action Summary (copy enclosed as Appendix C), the deadline for filing a response to the Office Action "... is set to expire 3 month(s) or thirty (30) days, whichever is longer, from the mailing date of this communication" (i.e., May 10, 2006).

Thus, Applicants do not believe that the \$120.00 extension of time fee is required. Accordingly, please credit our Deposit Account No. 50-0220 in the amount of \$120.00 to refund this overpayment of fees.

Registration No. 40,723

Myers Bigel Sibley & Sajovec, P.A.

P. O. Box 37428

Customer No. 20792

Raleigh, North Carolina 27627 Telephone: (919) 854-1400 Facsimile: (919) 854-1401

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop 16, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on April 17, 2006.

Candi L. Riggs

APPENDIX A





Deposit Account Statement

Requested Statement Month:

April 2006

Deposit Account Number:

500220

Name:

MYERS BIGEL SIBLEY & SAJOVEC, P.A.

Attention:

ACCOUNTING DEPT

Address:

P O BOX 37428

City:

RALEIGH

State:

Zip:

NC 27627

Country:

UNITED STATES OF AMERICA

DATE SEQ	POSTING REF TXT	ATTORNEY DOCKET NBR	FEE CODE	AMT	BAL
04/03 4	10808007	9060-228	1251	\$120.00	\$44,764.00
04/03 10	10561688		9204	-\$100.00	\$44,864.00
04/03 13	60007749	9301-39PR	8021	\$40.00	\$44,824.00
04/03 19	60007749	9301-39PR	8021	\$40.00	\$44,784.00
04/03 22	60007749	9301-39PR	8021	\$40.00	\$44,744.00
04/03 23	60007749	9301-39PR	8021	\$40.00	\$44,704.00
04/03 33	10225613	9301-1	8021	\$40.00	\$44,664.00
04/03 34	08654453	9301-1	8021	\$40.00	\$44,624.00
04/03 35	09093095	9301-1	8021	\$40.00	\$44,584.00
04/03 36	11327687	9301-1	8021	\$40.00	\$44,544.00
04/03 37	10225615	9301-1	8021	\$40.00	\$44,504.00
04/03 38	60502787	9301-1	8021	\$40.00	\$44,464.00
04/03 39	11061346	9301-1	8021	\$40.00	\$44,424.00
04/03 40	11094931	9301-1	8021	\$40.00	\$44,384.00
04/03 41	11167010	9301-1	8021	\$40.00	\$44,344.00
04/03 42	11126799	9301-1	8021	\$40.00	\$44,304.00
04/03 43	11200609	9301-1	8021	\$40.00	\$44,264.00
04/03 44	11281078	9301-1	8021	\$40.00	\$44,224.00
04/03 45	11291192	9301-1	8021	\$40.00	\$44,184.00
04/03 46	11324711	9301-1	8021	\$40.00	\$44,144.00
04/03 47	11375422	9301-1	8021	\$40.00	\$44,104.00
04/03 48	60661690	9301-1	8021	\$40.00	\$44,064.00
04/03 49	11375277	9301-1	8021	\$40.00	\$44,024.00
04/03 50	60662053	9301-1	8021	\$40.00	\$43,984.00
04/03 51	11313039	9301-1	8021	\$40.00	\$43,944.00
04/03 52	11313572	9301-1	8021	\$40.00	\$43,904.00
04/03 53	11374191	9301-1	8021	\$40.00	\$43,864.00
04/03 54	60760432	9301-1	8021	\$40.00	\$43,824.00
04/03 55	60773490	9301-1	8021	\$40.00	\$43,784.00
04/03 64	10225615	9301-1	1501	\$1,400.00	\$42,384.00

APPENDIX B

Con	Amendment RMM/CV Date: 3/24/06 Por 1450 03-31-((10.00 to Doc. No. 7060-228)
	BOX 1430
Alex	andria, VA 22313-1450 Scrial No. 10/808,007
	Inventor: Esa Patero
Sir:	Kindly acknowledge receipt of the accompanying items listed below
	by placing your receiving stamp hereon and return mailing:
	_ Application Transmittal and \ P E Check S
	Specification pages / IDS & PTO-1449 & refs.
•	No. of Claims Amendment & Amend. Transmittal
-	Declaration & POA MAR 2 8 2006 Preliminary Amendment
_	Assignment and Fed A FIAN 2 0 2000 July Issue Fee
•	Small Entity Statements Brief
-	Formal Drawings sheet ABBAN Appeal
-	Associate Power of Attorney Submittal of Priority Doc.
-	Exp. Mail Ist Class Mail
Jõ	ther: Reporte to Reptriction.
~ ~	The state of the s
	200

Respectfully submitted,
MYERS BIGEL SIBLEY & SAJOVEC, P.A.
Attorneys for Applicant

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Esa Paatero

Group Art Unit: 2838

Serial No.: 10/808,007

Examiner: Rajnikant B. Patel

Filed: March 24, 2004

Confirmation No.: 5679

For: POWER CONVERSION APPARATUS WITH DC BUS PRECHARGE CIRCUITS

AND METHODS OF OPERATING THEREOF

Date: March 24, 2006

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT

Sir:

Applicants provide the present Response to Restriction Requirement to address the issues raised in the Office Action mailed February 10, 2006.

If any extension of time for the accompanying response or submission is required, Applicants requests that this be considered a petition therefor. The Commissioner is hereby authorized to charge any additional fee, which may be required, or credit any refund, to our Deposit Account No. 50-0220.

A Listing of Claims is provided for the Examiner's reference beginning on page 2 of this paper.

Remarks/Arguments begin on page 11 of this paper.

In re: Esa Paatero

Serial No.: 10/808,007 Filed: March 24, 2004

Page 2 of 12

Listing of Claims:

1. (Original) A power conversion apparatus comprising:

a DC link comprising first and second DC busses and a reference bus;

a DC generator circuit coupled to the DC link and operative to generate first and second DC voltages with respect to the reference bus on respective ones of the first and second DC busses; and

a precharge circuit coupled to the DC link and operative to charge a first capacitance between the first DC bus and the reference bus and to transfer charge from the charged first capacitance to a second capacitance between the second DC bus and the reference bus.

- 2. (Original) An apparatus according to Claim 1, wherein the DC generator circuit is operative to commence generation of the first and second DC voltages on the first and second DC busses after the precharge circuit precharges the first and second DC busses.
- 3. (Original) An apparatus according to Claim 1, wherein the precharge circuit comprises:

a precharge converter circuit operative to charge the first capacitance from an AC source and/or a DC source; and

- a balancer circuit operative to transfer charge between the first and second capacitances.
- 4. (Original) An apparatus according to Claim 3, wherein the balancer circuit is operative to selectively couple the first and second DC busses to the reference bus via an inductor.

Page 3 of 12

5. (Original) An apparatus according to Claim 4, wherein the balancer circuit comprises:

an inductor; and

first and second switches operative to selectively couple respective ones of the first and second DC busses to the inductor.

- 6. (Original) An apparatus according to Claim 5, further comprising a third switch operative to couple and decouple the inductor to and from the reference bus.
- 7. (Original) An apparatus according to Claim 3, wherein the DC generator circuit and the balancer circuit include a common half-bridge circuit.
- 8. (Original) An apparatus according to Claim 7, wherein the common halfbridge circuit is configurable to operate as a rectifier circuit in a first mode of operation and as a balancer circuit in a second mode of operation.
- 9. (Original) An apparatus according to Claim 1, wherein the precharge circuit is operative to charge the first capacitance to increase a voltage between the first DC bus and the reference bus to a first voltage and to initiate charge transfer to the second capacitance after the voltage between the first DC bus and the reference bus reaches the first voltage.
- 10. (Original) An apparatus according to Claim 9, wherein the precharge circuit is further operative to terminate charge transfer to the second capacitance after a voltage between the second DC bus and the reference bus reaches a second voltage.
- 11. (Original) An apparatus according to Claim 10, wherein the DC generator circuit is operative to generate the first and second DC voltages on the first and second DC busses from an AC source, and wherein the second voltage is greater than a peak voltage of the AC source.

Page 5 of 12

18. (Original) An apparatus according to Claim 1, further comprising first and second storage capacitors coupled between respective ones of the first and second DC busses and the reference bus, and wherein the first and second capacitances comprise respective ones of the first and second storage capacitors.

19. (Original) A power conversion apparatus comprising: a DC bus;

a buck converter circuit coupled to the DC bus and operative to charge a capacitance coupled to the DC bus; and

a boost converter circuit coupled to the DC bus and operative to commence generating a DC voltage on the DC bus from an AC source and/or a DC source after the precharge circuit precharges the DC bus.

20. (Original) A power conversion apparatus, comprising:

a DC link comprising first and second DC busses and a reference bus;

a boost converter circuit coupled to the DC link and operative to generate first and second DC voltages with respect to the reference bus on respective ones of the first and second DC busses from an AC source and/or a DC source; and

a precharge circuit coupled to the DC link and operative to charge a first capacitance between the first DC bus and the reference bus and to transfer charge from the charged first capacitance to a second capacitance between the second DC bus and the reference bus.

- 21. (Original) An apparatus according to Claim 20, wherein the boost converter circuit is operative to commence generation of the first and second DC voltages on the first and second DC busses after the precharge circuit precharges the first and second DC busses.
- 22. (Original) An apparatus according to Claim 20, wherein the precharge circuit comprises:

a buck converter circuit operative to charge the first capacitance; and a balancer circuit operative to transfer charge between the first and second capacitances.

In re: Esa Paatero Serial No.: 10/808,007

Filed: March 24, 2004 Page 6 of 12

23. (Original) An apparatus according to Claim 22, wherein the boost converter circuit and the balancer circuit include a common half-bridge circuit.

- 24. (Original) An apparatus according to Claim 23, wherein the common halfbridge circuit is configurable to operate as a boost rectifier circuit in a first mode of operation and as a balancer circuit in a second mode of operation.
 - 25. (Original) An uninterruptible power supply (UPS) comprising: a DC link comprising first and second DC busses and a reference bus;
- a DC generator circuit coupled to the DC link and operative to generate first and second DC voltages with respect to the reference bus on respective ones of the first and second DC busses from either or both of a first power source and a second power source; and

a precharge circuit coupled to the DC link and operative to charge a first capacitance between the first DC bus and the reference bus and to transfer charge from the charged first capacitance to a second capacitance between the second DC bus and the reference bus.

26. (Original) A UPS according to Claim 25, wherein the DC generator circuit is operative to commence generation of the first and second DC voltages on the first and second DC busses after the precharge circuit precharges the first and second DC busses.

Page 7 of 12

27. (Original) A UPS according to Claim 25, wherein the precharge circuit comprises:

a precharge converter circuit operative to charge the first capacitance from an AC source and/or a DC source; and

a balancer circuit operative to transfer charge between the first and second capacitances.

- 28. (Original) A UPS according to Claim 27, wherein the DC generator circuit comprises a boost converter circuit and wherein the precharge converter circuit comprises a buck converter circuit.
- 29. (Original) A UPS according to Claim 27, wherein the DC generator circuit and the balancer circuit include a common half-bridge circuit.
- 30. (Original) A UPS according to Claim 29, wherein the common half-bridge circuit is configurable to operate as a rectifier circuit in a first mode of operation and as a balancer circuit in a second mode of operation.
- 31. (Original) A UPS according to Claim 25, wherein precharge circuit is operative to charge the first capacitance to increase a voltage between the first DC bus and the reference bus to a first voltage and to initiate charge transfer to the second capacitance after the voltage between the first DC bus and the reference bus reaches the first voltage.
- 32. (Original) A UPS according to Claim 31, wherein the precharge circuit is further operative to terminate charge transfer to the second capacitance after a voltage between the second DC bus and the reference bus reaches a second voltage.
- 33. (Original) A UPS according to Claim 32, wherein the DC generator circuit is operative to generate the first and second DC voltages on the first and second DC busses from an AC source, and wherein the second voltage is greater than a peak voltage of the AC source.

In re: Esa Paatero Serial No.: 10/808,007

Filed: March 24, 2004

Page 8 of 12

- 34. (Original) A UPS according to Claim 32, wherein the precharge circuit is further operative to initiate charge transfer from the charged second capacitance to the first capacitance to further boost the voltage between the first DC bus and the reference bus.
- 35. (Original) A UPS according to Claim 25, wherein the precharge circuit is operative to charge the first capacitance from the first power source and/or the second power source.
- 36. (Original) A UPS according to Claim 25, wherein the first power source comprises an AC power source and wherein the second power source comprises a DC power source.
- 37. (Original) A UPS according to Claim 36, wherein the DC power source comprises a battery.
- 38. (Original) A UPS according to Claim 25, further comprising first and second storage capacitors coupled between respective ones of the first and second DC busses and the reference bus, and wherein the first and second capacitances comprise respective ones of the first and second storage capacitors.
- 39. (Original) A UPS according to Claim 25, further comprising a DC/AC converter circuit coupled to the DC link and operative to generate an AC voltage from the first and second DC voltages.
- 40. (Original) A method of operating a power converter including a DC link comprising first and second DC busses and a reference bus and a DC generator circuit coupled to the DC link and operative to generate first and second DC voltages with respect to the reference bus on respective ones of the first and second DC busses, the method comprising:

charging a first capacitance between the first DC bus and the reference bus; transferring charge from the charged first capacitance to a second capacitance between the second DC bus and the reference bus to charge the second capacitance; and then

Page 9 of 12

generating the first and second DC voltages on the first and second DC busses using the DC generator circuit.

41. (Original) A method according to Claim 40:

wherein charging a first capacitance comprises charging the first capacitance using a buck converter circuit coupled to an AC source and/or a DC source; and

wherein transferring charge comprises transferring charge using a balancer circuit.

42. (Original) A method according to Claim 41, wherein the DC generator circuit and the balancer circuit include a common half-bridge circuit.

43. (Original) A method according to Claim 42:

wherein transferring charge transferring charge from the charged first capacitance to the second capacitance using a balancer circuit comprises transferring charge from the charged first capacitance using the common half-bridge circuit as a balancer circuit; and

wherein generating the first and second DC voltages on the first and second DC busses using the DC generator circuit comprises generating the first and second DC voltages on the first and second DC busses using the common half-bridge circuit as a rectifier circuit.

44. (Original) A method according to Claim 40:

wherein charging the first capacitance comprises charging the first capacitance to increase a voltage between the first DC bus and the reference bus to a first voltage; and

wherein transferring charge from the charged first capacitance to a second capacitance between the second DC bus and the reference bus to charge the second capacitance comprises initiating charge transfer from the charged first capacitance to the second capacitance after the voltage between the first DC bus and the reference bus reaches the first voltage.

45. (Original) A method according to Claim 44, further comprising terminating charge transfer from the first capacitance to the second capacitance after a voltage between the second DC bus and the reference bus reaches a second voltage.

Page 10 of 12

46. (Original) A method according to Claim 45, wherein generating the first and second DC voltages on the first and second DC busses using the DC generator circuit comprises generating the first and second DC voltages on the first and second DC busses from an AC source, and wherein the second voltage is greater than a peak voltage of the AC source.

- 47. (Original) A method according to Claim 46, wherein generating the first and second DC voltages on the first and second DC busses using the DC generator circuit is preceded by transferring charge from the charged second capacitance to the first capacitance to further boost the voltage between the first DC bus and the reference bus.
- 48. (Previously Presented) A UPS comprising the power conversion apparatus of Claim 1, wherein the DC generator circuit is operative to generate the first and second DC voltages from either or both of a first power source and a second power source.

Page 11 of 12

REMARKS

This paper is responsive to the restriction requirement of the Office Action mailed February 10, 2006 (hereinafter "Office Action"). The Office Action identifies two inventions, a Group I (Claims 1-20 and 40-47) drawn to a power conversion apparatus and a Group II (Claims 25-39) drawn to an uninterruptible power supply. Applicant continues to provisionally elect Group II (Claims 25-39), and continues traversal of the restriction requirement, as the Office Action appears to not have made the restriction requirement final.

The Office Action continues to assert "Group I and Group II are related as combination and subcombination." Office Action, p. 2. This is incorrect, as Claim 25 is not a subcombination of Claim 1. As noted in Applicant' prior response filed December 23, 2005, "a combination is an organization of which a subcombination or element is a part." See MPEP 810.05(a). In particular, Claim 25 contains additional elements to those recited in Claim 1, such that it is not a "part" of Claim 1. Therefore, Claim 25 is not a subcombination of Claim 1. In fact, as noted in Applicant's prior response, Claim 1 of Group I is a subcombination with respect to Claim 25, and the requirements for two-way distinctness between these claims required to support restriction of such a combination/subcombination relationship is not present.

Applicant notes that there is an apparent contradiction between the "Respond to Argument" section and the "Restriction Requirement" section on page 2 of the Office Action. The "Respond to Argument" section appears to acknowledge that Claim 1 stands in relation as a subcombination of the combination recited in Claim 25. However, this appears to be at odds with the combination/subcombination relationship alleged in the "Restriction Requirement" section, which, as noted above, appears to assert that Claim 25 is a subcombination of Claim 1. Applicant also points out that the Office Action omits any requirement regarding Claims 21-24 and 48. Accordingly, if the restriction requirement is maintained, Applicant respectfully requests clarification of the restriction requirement before making such requirement final.

/ Robert M. Meeks

Registration No. 40,723

In re: Esa Paatero Serial No.: 10/808,007 Filed: March 24, 2004 Page 12 of 12

Customer Number 20792 Myers Bigel Sibley & Sajovec, P.A. P.O. Box 37428 Raleigh, NC 27627 919-854-1400 919-854-1401 (Fax)

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on March 24, 2006.

Traci A. Brown

APPENDIX C



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.nspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/808,007	03/24/2004	Esa Paatero	9060-228	5679	
75	90 02/10/2006		EXAM	INER	
Robert M. Me	eks		PATEL, RAINIKANT B		
	oley & Sajovec, P.A.			P. P. D. D. T.	
Post Office Box	: 37428		ART UNIT	PAPER NUMBER	
Raleigh, NC 2	27627	MYERS BIGEL	2838		
		LECE VE	DATE MAILED: 02/10/2000	5	
		* 9 2006 IIII	D1112 112 112251 VALI V VV		
		FEB 1 3 2006			
		IVI IVI			
		W.S. DOCKET			

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)				
	10/808,007	PAATERO, ESA				
Office Action Summary	Examiner	Art Unit				
	Rajnikant B. Patel	2838				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 15 De	ecember 2005.					
2a) This action is FINAL. 2b) This	action is non-final.					
3) Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-47 is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	vn from consideration.					
5) Claim(s) is/are allowed.						
6)☐ Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) 1-47 are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) acc		Examiner.				
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) L Interview Summary Paper No(s)/Mail D					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) 🔲 Notice of Informal F	Patent Application (PTO-152)				
Paper No(s)/Mail Date	6)	••				